

ON THE SPIDER DIVERSITY IN AND AROUND DEEG-TOWN, BHARATPUR (RAJASTHAN)

Krishna Kant Lawania¹; Kritika Trigunayat²; P.S. Kain³ and M.M. Trigunayat⁴

1. Research Scholar IIS University, Jaipur-302020

2. Post Graduate Student in Entomology, Govt. M.S.J. College, Bharatpur-321001

3. Vice Principal Govt. College, Deeg, Bharatpur -321001

4. Head, Department of Zoology, Govt. R.D. Girls College, Bharatpur -321001

Email - kklawania23@gmail.com, drmmmt@rediffmail.com

ABSTRACT

Deeg-is historic town and is 36 k.m. away from Bharatpur, a place internationally known for birds. Extensive agriculture is done in the area and variety crops are sown. The crops as such are suffered a lot from pest infestations. The spiders impose natural check on insect pest populations. No sincere and organized studies were made on the spiders of this area. Few reports, however, are available. In the present study 24 species from 10 families under 16 genera are being reported. Salticidae (Jumping spiders) were most commonly occurred species, whereas Aranidae and Salticidae dominated the agriculture fields.

Key words: - Deeg-Town, Spider fauna, Diversity.

INTRODUCTION

The order Araneae is the seventh most diverse' animal order in the world with count of 42,751 spider species belonging to 3859 genera and 110 families (Platnick, 2011). Tikader (1987) reported 1067 species of spiders from India under 249 genera and 43 families. Very scanty reports on the spider of Deeg-Town are available (Kain and Trigunayat, 2013) therefore, a survey was carried out. The present study will enrich the database on diversity in the said area.

MATERIAL AND METHODS

Deeg a town in Bharatpur district in the State of Rajasthan, India and is located 27.47°N latitude and 77.33°E longitudes. The area is under the cultivation of different type of crops providing habitat for different kinds of invertebrates including spiders. The study was carried out from July 2011 to March 2012. Bushes tree trunks, forest floor, foliage and grass lands were searched for spiders and collected by using various methods such as hand picking, pitfall trapping, sweep netting, and cryptic searchings. The identification was done following Tikader (1980, 1982, and 1987) Murphy (2000) as well as pictorial guide (Levi, 2002; Sebastian & Peter, 2009).

The Collected specimens were preserved in 70% ethyl alcohol with a few drops of glycerin (Prasad, 1985).

RESULTS AND DISCUSSION


A total of 24 species of spiders belonging to 10 families under 16 genera were recorded.

Table – 1, Spider species recorded from Deeg Town, Bharatpur, (Raj.) India

Family	Species	Guild	Sp. Count
Agelenidae	(i) <i>Agelenidae sp.</i>	Funnel Web builders	5
Araneidae	(i) <i>Argiope aemula</i>	Orb web builders	18
	(ii) <i>Argiope anasuja</i>	Orb web builders	21
	(iii) <i>Cyrtophora faei</i>	Orb web builders	9
	(iv) <i>Cyrtophora cicatrosa</i>	Orb web builders	17
	(v) <i>Cyrtophora citricola</i>	Orb web builders	19
Gnaphosidae	(i) <i>Drassodes sp.</i>	Ground runner	5
Hersiliidae	(i) <i>Hersilia savignyi</i>	Foliage runner	7
Lycosidae	(i) <i>Geolycosa urbana</i>	Ground runner	1
	(ii) <i>Lycosa pictula</i>	Ground runner	9
	(iii) <i>Perdosa biramnica</i>	Ground runner	22
Nephilidae	(i) <i>Nephilia sp.</i>	Orb web builders	8
	(ii) <i>Nephilia khuli</i>	Orb web builders	5
Oxyopidae	(i) <i>Oxyopes biramanicus</i>	Foliage runner	23
	(ii) <i>Oxyopes javanus</i>	Foliage runner	27
	(iii) <i>Oxyopes sp.</i>	Foliage runner	3
Pholcidae	(i) <i>Artema atlanta</i>	Irregular web builders	29
	(ii) <i>Pholcus phalangiodes</i>	Irregular web builders	5
Salticidae	(i) <i>Plexippus paykuli</i>	Foliage runner	26
	(ii) <i>Phidippus pateli</i>	Foliage runner	13
	(iii) <i>Phidippus indicus</i>	Foliage runner	9
	(iv) <i>Portia assamensis</i>	Foliage runner	7
	(v) <i>Portia sp.</i>	Foliage runner	6
Thomisidae	(i) <i>Thomisus projectus</i>	Ambusher	3

Table 2, Number of genera and species of spiders from Deeg Town, Bharatpur

Sr.No.	Families	No. of Genera	No. of Species
1.	Agelenidae	1	1
2.	Araneidae	2	5
3.	Gnaphosidae	1	1
4.	Hersilidae	1	1
5.	Lycocidae	3	3
6.	Nephilidae	1	2
7.	Oxyopidae	1	3
8.	Pholcidae	2	2
9.	Salticidae	3	5
10.	Thomisidae	1	1






Fig.1: Spiders and their number recorded during the study




Fig.2: Comparative Guild density (Percentage) of spiders recorded during the study.




Fig.3: Number of genera and species of spider during the study.

Out of 24 species of spiders, 9 species were foliage runners, 3 species ground runners, 7 species orb web weaver, single species each of funnel web weavers and ambushers, no species were recorded from single line web weaver, horizontal dome shape weaver, and sheet web weavers. The spider fauna of Deeg was not found deviating from the nearby areas viz. Vrindavan, Agra, and Mathura (Lawania and Trigunayat 2013 a, b, c, d, e). This is probably due to the similar weather and cropping pattern that provides almost similar habitats. Only few species were different that can be attributed for individual species variation.

AKNOWLEDGEMENTS

Authors are thankful to Prof. N.P. Singh, Head, Department of zoology, University of Rajasthan, Jaipur and Prof. P. Bhatnagar, Dean, Faculty of Life science, IIS University, Jaipur (Raj.) for encouragement.

REFERENCE

- Kain P.S. and M.M. Trigunayat 2013.** Preliminary report on the spiders of Deeg-Town, Bharatpur. *Nat. Conf. on Forest and wildlife: Present Status, Future needs and Challenges ahead, 30-31 January, Deptt. Of zoology, Govt. R.D. Girls College, Bharatpur and Rajasthan Forest Deptt, Bharatpur p. 21.*
- Lawania K.K.; Sant Prakash and M.M. Trigunayat 2013a.** Biodiversity of Spider in and around Agra, *Nat. Conf. on Forest and wildlife: Present Status, Future needs and Challenges ahead, p12.*
- Lawania K.K. and M.M. Trigunayat 2013b.** Baseline studies on the spider fauna (Araneae) of Braj Region (Brajbhoomi) India. *International journal of Biotechnology and Bioengineering Research* ,4:16-19.
- Lawania K.K. and M.M. Trigunayat 2013c.** Web pattern and architecture in some spiders (Araneae) from Central India. *International journal of Biotechnology and Bioengineering Research* 4:20-22.
- Lawania K.K. and M.M. Trigunayat 2013d.** On the diversity of spiders in and around Sur-sarovar Bird sanctuary, Agra (UP) India. *International journal of Engineering Research and Technology* 6:99-104.
- Lawania K.K. and M.M. Trigunayat 2013e.** Diversity and distribution of spiders in and around Vrindavan, Mathura (UP) India. *International journal of Engineering Research and Technology* 6:105-110
- Levi, L.R. 2002.** Spider and their kin. *St.martins press, New York.*
- Murphy, J.F. 2000.** an introduction to the spider of South East Asia. Kuala- Lampur, Malaysia. *Malaysian Nature Society*, 625pp.
- Platnick, N.I. 2011.** The World Spider Catalog, version 12.0. American Museum of Natural History. <http://research.amnh.org/entomology/spiders/catalog/index.html>
- December, 2013, *Indian Journal of Arachnology*, 2(2).....51

Spider diversity in and around Deeg town.....Krishna Kant *et al.*

Prasad, B. 1985. Setting and preservation of spiders. *Entomologists' news letter*.
1(8).2-3.

Sebastian P.A. and K.V. Peter. 2009. Spiders of India, *University Press
publication*.

Tikader, B.K. 1980. Thomisidae (Crab-spiders) - Fauna of India (Araneae),
Zool. Surv. India, 1: 1-247.

Tikader, B.K. 1982. Family Araneidae Argiopidae) typical orb weavers. *Fauna of
India (Araneae)*, 2: 1-293.

Tikader, B.K. 1987. Handbook of Indian Spiders, *Zool. Surv. India, Calcutta*, 251